



SAFETY DATA SHEET

Deka Gólfmálning

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Deka Gólfmálning

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Paint.

1.3. Details of the supplier of the safety data sheet

Supplier Colorex Sweden AB
Industrigatan 7
S-534 73 STORA LEVENE
+46 (0)512 180 000
info@colorex.se

1.4. Emergency telephone number

Emergency telephone +46 (0)512 180 000 Mon - Fri 07.00 - 16.00

National emergency telephone -
number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 3 - H226

Health hazards Elicitation - EUH208

Environmental hazards Not Classified

2.2. Label elements

Pictogram



Signal word Warning

Hazard statements H226 Flammable liquid and vapour.
EUH208 Contains . May produce an allergic reaction.

Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P102 Keep out of reach of children.
P261 Avoid breathing vapours.
P312 Call a POISON CENTER/ doctor if you feel unwell.
P302+P352 IF ON SKIN: Wash with plenty of water.
P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
P501 Dispose of contents/ container in accordance with local regulations.

Deka Gólfmálning

Supplemental label information

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

NAPHTA (PETROLEUM), HYDROTREATED HEAVY			30-60%
CAS number: 64742-48-9	EC number: 265-150-3	REACH registration number: 01-2119463258-33-XXXX	

Classification

Flam. Liq. 3 - H226

Asp. Tox. 1 - H304

ETHYL METHYL KETOXIME**0.1-1%**

CAS number: 96-29-7

EC number: 202-496-6

REACH registration number: 01-2119539477-28-XXXX

Classification

Acute Tox. 4 - H312

Eye Dam. 1 - H318

Skin Sens. 1 - H317

Carc. 2 - H351

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Never give anything by mouth to an unconscious person. Get medical attention if any discomfort continues.

Inhalation

Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention.

Ingestion

DO NOT induce vomiting. Get medical attention immediately.

Skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water.

Eye contact

Rinse cautiously with water for several minutes. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed**Inhalation**

Symptoms following overexposure may include the following: Headache. Fatigue. Dizziness. Central nervous system depression.

Ingestion

May cause discomfort if swallowed.

Skin contact

Prolonged skin contact may cause redness and irritation.

Eye contact

May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed**Notes for the doctor**

No specific recommendations.

Deka Gólfmálning

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide or dry powder.

Unsuitable extinguishing media Water.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting Control run-off water by containing and keeping it out of sewers and watercourses. Containers close to fire should be removed or cooled with water.

Special protective equipment for firefighters Use air-supplied respirator, gloves and protective goggles.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains, sewers or watercourses. Collect and place in suitable waste disposal containers and seal securely.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid contact with skin and eyes. Avoid inhalation of vapours. Avoid eating, drinking and smoking when using the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep container tightly sealed when not in use. Do not store near heat sources or expose to high temperatures.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls Provide adequate ventilation.

Eye/face protection Use safety goggles and face shield in case of splash risk.

Deka Gólfmálning

Hand protection	For prolonged or repeated skin contact use suitable protective gloves.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Viscous liquid.
Colour	White.
Odour	Solvent.
Flash point	> 42°C SCC (Setaflash closed cup).
Solubility(ies)	Insoluble in water.

9.2. Other information

Volatile organic compound	EU: (cat A/i): 500 g/l 2010. This product contains a maximum VOC content of <500 g/litre.
----------------------------------	---

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
-------------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
------------------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Not relevant.
---	---------------

10.4. Conditions to avoid

Conditions to avoid	Keep away from heat, sparks and open flame.
----------------------------	---

10.5. Incompatible materials

10.6. Hazardous decomposition products

Hazardous decomposition products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.
---	--

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Inhalation	Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Headache. Fatigue. Nausea, vomiting.
Ingestion	May cause discomfort if swallowed.
Skin contact	Prolonged contact may cause redness, irritation and dry skin. The product contains a small amount of sensitising substance.
Eye contact	Vapour or spray in the eyes may cause irritation and smarting.

SECTION 12: Ecological Information

Ecotoxicity	Do not discharge into drains or watercourses or onto the ground.
--------------------	--

12.1. Toxicity

Deka Gólfmálning

Toxicity No data recorded.

12.2. Persistence and degradability

Persistence and degradability No data recorded.

12.3. Bioaccumulative potential

Bioaccumulative potential No data recorded.

12.4. Mobility in soil

Mobility No data recorded.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects The product contains volatile organic compounds (VOCs) which have a photochemical ozone creation potential.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Avoid the spillage or runoff entering drains, sewers or watercourses. Waste is classified as hazardous waste.

Disposal methods Dispose of waste product or used containers in accordance with local regulations

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). Viscous liquid.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

Deka Gólfmálning

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision date 16/06/2015

Revision 2

Supersedes date 13/02/2015

SDS number 20547

Hazard statements in full
H226 Flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H312 Harmful in contact with skin.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H351 Suspected of causing cancer.
EUH208 Contains . May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.