

Safety Data Sheet

Colorex Vagans 25

Replaces date: 21/10/2021

Revision date: 03/10/2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: Colorex Vagans 25

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Paint

1.3. Details of the supplier of the safety data sheet

Supplier

Company: Hagmans Nordic AB
Address: Box 112
Zip code: 511 10
City: Fritsla
Country: SWEDEN
E-mail: info@hagmansnordic.com
Phone: +46 (0)320 18900
Homepage: www.colorex.se

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24)).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: The product shall not be classified as hazardous according to the classification and labeling rules for substance and mixtures.

2.2. Label elements

Precautionary statements

P102 Keep out of reach of children.

Supplemental information

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 3-iodo-2-propynyl butylcarbamate. May produce an allergic reaction.

Contains biocidal products: BIT, C(M)IT/MIT (3:1) Contains biocidal product for the preservation of dry-film: IPBC. May produce an allergic reaction.

VOC: This product contains a maximum of 30 g VOC/L. The limit value is 30 g VOC/L (cat. A/a)

2.3. Other hazards

The product does not contain any PBT or vPvB substances.
Endocrine disrupting properties: None known.

Safety Data Sheet

Colorex Vagans 25

Replaces date: 21/10/2021

Revision date: 03/10/2022

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
3-iodo-2-propynyl butylcarbamate	55406-53-6 259-627-5	< 0.25 %		Acute Tox. 4;H302 Skin Sens. 1;H317 Eye Dam. 1;H318 Acute Tox. 3;H331 STOT RE 1;H372 (Larynx.) Aquatic Acute 1;H400 Aquatic Chronic 1;H410 M (acute): 10 M (chronic): 1
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 01-2120761540-60	< 0.05 %		Acute Tox. 4;H302 Skin Irrit. 2;H315 Skin Sens. 1;H317 Eye Dam. 1;H318 Acute Tox. 2;H330 Aquatic Acute 1;H400 Aquatic Chronic 2;H411 C ≥ 0.05%: Skin Sens. 1; H317 M (acute): 1
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9 611-341-5 01-2120764691-48	< 0.0015 %		Acute Tox. 3;H301 Acute Tox. 2;H310 Skin Corr. 1B;H314 Skin Sens. 1A;H317 Eye Dam. 1;H318 Acute Tox. 2;H330 Aquatic Acute 1;H400 Aquatic Chronic 1;H410 C ≥ 0.0015%: Skin Sens. 1A;H317 M (acute): 100 M (chronic): 100

Please see section 16 for the full text of H- / EUH-phrases.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:	Remove person to fresh air and keep comfortable for breathing.
Ingestion:	Contact physician if larger quantity has been consumed. Do not induce vomiting.
Skin contact:	Wash the skin with water.
Eye contact:	Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes. Open eye wide. Remove any contact lenses. Seek medical advice.
General:	Seek medical advice in case of persistent discomfort.

4.2. Most important symptoms and effects, both acute and delayed

Ingestion may cause discomfort. Prolonged skin contact may cause redness and irritation. The product contains a small amount of sensitising substance. May cause eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

Safety Data Sheet

Colorex Vagans 25

Replaces date: 21/10/2021

Revision date: 03/10/2022

5.1. Extinguishing media

Suitable extinguishing media: The product is not directly flammable. Choose extinguishing agents based on the surrounding fire.

Unsuitable extinguishing media: Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released. Carbon monoxide and carbon dioxide.

5.3. Advice for firefighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air. Containers close to fire should be removed or cooled with water. Prevent discharges into the sewage system, watercourses or ground.

Other Information: Use a respirator and other protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Wear gloves. Wear safety goggles if there is a risk of eye splash.

6.2. Environmental precautions

Prevent discharges into the sewage system, watercourses or ground.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent, non-combustible material and transfer to suitable waste containers.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Store frost-free. Not to be stored in direct sunlight.

7.3. Specific end use(s)

No special uses in addition to identified uses in 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements

8.2. Exposure controls

Personal protective equipment, eye/face protection: Wear safety goggles if there is a risk of eye splash.

Personal protective equipment, hand protection: For prolonged or repeated skin contact use suitable protective gloves.

Safety Data Sheet

Colorex Vagans 25

Replaces date: 21/10/2021

Revision date: 03/10/2022

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter	Value/unit
State	Viscous liquid.
Colour	According to product specification
Odour	Weak
Solubility	Solubility in water: Soluble

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	~ 0	Water
Freezing point	~ 0	Water
Initial boiling point and boiling range	~ 100	Water
Flammability (solid, gas)		Non-flammable
Flammability limits	No data	
Explosion limits	No data	
Flash Point		Not relevant
Auto-ignition temperature		Not relevant
Decomposition temperature	No data	
pH (solution for use)	8 - 9	
pH (concentrate)		Not applicable.
Kinematic viscosity	No data	
Viscosity	No data	
Partition coefficient n-octanol/water	No data	
Vapour pressure	No data	
Density	1000 - 1300 kg/m ³	
Relative density	No data	
Vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

9.2. Other information

Parameter	Value/unit	Remarks
-----------	------------	---------

SECTION 10: Stability and reactivity

10.1. Reactivity

No known data.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

Not applicable.

10.4. Conditions to avoid

Store cold, but frost-free.

Safety Data Sheet

Colorex Vagans 25

Replaces date: 21/10/2021

Revision date: 03/10/2022

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral:	Based on existing data, the classification criteria are deemed not to have been met. Ingestion may cause discomfort.
Acute toxicity - dermal:	Based on existing data, the classification criteria are deemed not to have been met.
Acute toxicity - inhalation:	Based on existing data, the classification criteria are deemed not to have been met.
Skin corrosion/irritation:	Based on existing data, the classification criteria are deemed not to have been met. Degreases and dries the skin. Repeated exposure may cause skin dryness or cracking.
Serious eye damage/eye irritation:	Based on existing data, the classification criteria are deemed not to have been met. Temporary irritation.
Respiratory sensitisation or skin sensitisation:	Based on existing data, the classification criteria are deemed not to have been met. The product contains small amounts of 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 3-iodo-2-propynyl butylcarbamate. Persons with a known allergy may exhibit an allergic response to the product.
Germ cell mutagenicity:	Based on existing data, the classification criteria are deemed not to have been met.
Carcinogenic properties:	Based on existing data, the classification criteria are deemed not to have been met.
Reproductive toxicity:	Based on existing data, the classification criteria are deemed not to have been met.
Single STOT exposure:	Based on existing data, the classification criteria are deemed not to have been met.
Repeated STOT exposure:	Based on existing data, the classification criteria are deemed not to have been met.
Aspiration hazard:	Based on existing data, the classification criteria are deemed not to have been met.

11.2. Information on other hazards

Endocrine disrupting properties:	Constituents have no endocrine-disrupting properties with respect to non-target organisms as they do not meet the criteria in Section B of Regulation (EU) 2017/2100.
---	---

SECTION 12: Ecological information

12.1. Toxicity

Based on existing data, the classification criteria are deemed not to have been met.

12.2. Persistence and degradability

No data is documented.

12.3. Bioaccumulative potential

No data is documented.

Safety Data Sheet

Colorex Vagans 25

Replaces date: 21/10/2021

Revision date: 03/10/2022

12.4. Mobility in soil

No data is documented.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

Based on existing data, the classification criteria are deemed not to have been met.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Empty, cleansed packaging should be disposed of for recycling. Uncleansed packaging is to be disposed of via the local waste-removal scheme.

Category of waste: 08 01 12 waste paint and varnish other than those mentioned in 08 01 11
15 01 02 plastic packaging

SECTION 14: Transport information

14.1. UN number or ID number: Not applicable.

14.4. Packing group: Not applicable.

14.2. UN proper shipping name: Not applicable.

14.5. Environmental hazards: Not applicable.

14.3. Transport hazard class(es): Not applicable.

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

Other Information: The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

SECTION 16: Other information

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with Regulation 1907/2006/EC "The Registration, Evaluation and Authorization of Chemicals" as amended by the stationary UK REACH etc. (EU Exit) as subsequently changed.

Vendor notes: Changes have been made in sections: 2, 11, 12, 16.

Safety Data Sheet

Colorex Vagans 25

Replaces date: 21/10/2021

Revision date: 03/10/2022

Hazard statements

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure. (Larynx.)
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Supplemental hazard information

EUH208	Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 3-iodo-2-propynyl butylcarbamate. May produce an allergic reaction.
--------	---

Country: GB