




**EIBENSTOCK**  
Elektrowerkzeuge

**PROFESSIONAL**  
**GERMAN** SINCE 1919  
**POWER TOOLS**



**DUST PROTECTION SYSTEM**

Mineral dust may cause cancer!

Health protecting mixing  
(dust reduced construction site,  
especially in the interior)



**Innovative drive solution**



**one motor -  
two contra  
rotating  
mixing tools**

**INNOVATION**

**INNOVATION**

**INNOVATION**

**MOBILE MIXING STATIONS**

**TwinMix 1800/TwinMix 1800 T**



### The mobile stations for thorough mixing



**50 kg**

Specifications	TWINMIX 1800/1800 T
Power input	1800 W
Rated voltage	230 V ~
Rated speed mixing rod	250/450 rpm
Rated speed mixing paddle	20/36 rpm
Bucket size	65 l
Spindle connection	M 14/Special
Weight	70.0 kg
Order no.	07621000/07623000


Supplied on a pallet incl. mixing rod, mixing paddle, bucket 65 l and transport carriage

#### USE:

- Homogenous and lump free mixing of numerous materials with different viscosity
- **Especially convenient for the mixing of self-levelling floor levelling compounds, plaster, thin-bed mortar, fillers**
- Building construction and civil engineering, landscaping, floor renovators, tilers

#### FEATURES:

- Mixing paddle with scraper – avoids material deposits on the bucket rim and ensures together with a fast running inner rod a better mixing
- Two electronic speed levels – start mixing function with reduced speed
- Transport carriage with handles and big wheels – mobile use of the station at the construction sites, also at rough terrain



- Delivery in largely completed condition – immediately ready to use
- Robust universal motor – very high pulling power
- Electronic – soft start, constant speed, temperature control and overload cut-off
- Switch with dust protection and protection against re-start
- Safety Switch – cut-off in case of opening the hood, protection of the operator
- Connection for dust exhaust Ø 35 mm as well as funnel tube with brushes – dust reduced filling and mixing of the materials
- Tipper (accessory) especially designed for clean and precise pouring of self-levelling filler and levelling compounds
- Mixing carriage (supplied) can be used separate from the station – flexible and mobile at the job site

Accessories	Order no.
Timer for TwinMix 1800 T	32352000
Mixing paddle	31451000
Scraper for mixing paddle	32351000
Universal stirring rod	31452000
Transport carriage	09Z11000
Tipper	09Z12000
Bucket 65 l	32341000

**Tipper with 4 wheels  
(2 steerable)**



**Transport carriage with  
2 big wheels**





## Versatile application possibilities – best mixing results



masonry mortar



thin-bed mortar



plaster



floating screed



tile cement



grout



insulation board adhesive



screed




filler

## Fast, uninterrupted work when using several mixing carriages, f. e. for levelling filler

 saves at least **50%** time

- ☞ saves time and costs
- ☞ reduces the risk that the material is setting too fast in wet-on-wet cycle

10:15



mixture 1




mixture 2

10:20



mixture 2



mixture 3



# EIBENSTOCK

## Elektrowerkzeuge

**PROFESSIONAL**  
**GERMAN** SINCE 1919  
**POWER TOOLS**

Timer for TwinMix 1800 T for setting the requested mixing time for special requirements of the material manufacturer (accessory)




## Reduction of hazardous dusts

- ⇨ dust reduced construction site
- ⇨ cleanliness in the interior



Hazardous dust (e. g. silica dust) has to be suctioned by a Dust Class M Vacuum Cleaner!  
 For our electric power tools we are recommending to use a Vacuum Cleaner of our Eibenstock DSS range!



Elektrowerkzeuge GmbH Eibenstock  
 Auersbergstraße 10  
 08309 Eibenstock, Germany

Phone: +49 (0) 3 77 52 - 50 30  
 Fax: +49 (0) 3 77 52 - 20 19  
 Internet: [www.eibenstock.com](http://www.eibenstock.com)  
 E-Mail: [office@eibenstock.com](mailto:office@eibenstock.com)

Certified according to DIN EN ISO 9001:2015  
 Technical changes excepted! Illustrations may vary!

Your distributor:

19293000 - Stand 01/17