

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 1KP

| | | | |
|---------------|--------------------|---------|-----|
| Creation date | 10th February 2020 | Version | 2.1 |
| Revision date | 08th January 2024 | | |

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
Substance / mixture NEXLER BITFLEX 1KP
mixture
UFI JMX1-80YX-R00R-UM0C
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
Bitumen mass for waterproofing underground parts of buildings.
Main intended use
PC-CON-5 Construction chemicals
Mixture uses advised against
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**
Supplier
Name or trade name NEXLER sp. z o.o.
Address Łużycka 6, Gdynia, 81-537
Poland
Identification number (CRN) 191528483
VAT Reg No PL5862073821
Phone +48 58 781 45 85
E-mail info@nexler.com
Web address www.nexler.com
Competent person responsible for the safety data sheet
Name NEXLER sp. z o.o.
E-mail info@nexler.com
- 1.4. Emergency telephone number**
National Health Service (NHS) 111
National poisoning information centre Scotland, NHS 24: 111

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Skin Sens. 1, H317

Most serious adverse effects on human health and the environment

May cause an allergic skin reaction.

- 2.2. Label elements**

Hazard pictogram



Signal word

Warning

Hazardous substances

octhilinone (ISO)

Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P264 Wash hands and exposed parts of the body thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 1KP

Creation date 10th February 2020
Revision date 08th January 2024 Version 2.1

P501 Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

| Identification numbers | Substance name | Content in % weight | Classification according to Regulation (EC) No 1272/2008 | Note |
|----------------------------------------------------------------------------------------------------------|---------------------|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| Index: 019-002-00-8 CAS: 1310-58-3 EC: 215-181-3 Registration number: 01-2119487136-33 | potassium hydroxide | 0,18-0,25 | Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1A, H314 Specific concentration limit: Skin Irrit. 2, H315: 0.5 % ≤ C < 2 % Skin Corr. 1A, H314: C ≥ 5 % Skin Corr. 1B, H314: 2 % ≤ C < 5 % Eye Irrit. 2, H319: 0.5 % ≤ C < 2 % | 1 |
| Index: 613-112-00-5 CAS: 26530-20-1 EC: 247-761-7 Registration number: - [REACH art. 15 (2)] | octhiline (ISO) | <0,0022 | Acute Tox. 3, H301+H311 Skin Corr. 1, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071 Specific concentration limit: Skin Sens. 1A, H317: C ≥ 0.0015 % ATE Inhalation (dust/mist) = 0,27 mg/l ATE Dermal = 311 mg/kg bw ATE Oral = 125 mg/kg bw | |

Notes

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 1KP

| | | | |
|---------------|--------------------|---------|-----|
| Creation date | 10th February 2020 | Version | 2.1 |
| Revision date | 08th January 2024 | | |

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

May cause an allergic skin reaction.

If in eyes

Not expected.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Storage temperature above + 5 ° C required.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 1KP

Creation date 10th February 2020
Revision date 08th January 2024 Version 2.1

United Kingdom EH40/2005 Workplace exposure limits (Fourth Edition 2020)

| Substance name (component) | Type | Value |
|--------------------------------------|-----------|---------------------|
| potassium hydroxide (CAS: 1310-58-3) | WEL 15min | 2 mg/m ³ |

DNEL

| potassium hydroxide | | | | | |
|---------------------|-------------------|---------------------|-----------------------|---------------------|--------|
| Workers / consumers | Route of exposure | Value | Effect | Value determination | Source |
| Workers | Inhalation | 1 mg/m ³ | Chronic effects local | | |
| Consumers | Inhalation | 1 mg/m ³ | Chronic effects local | | |

PNEC

| octhilinone (ISO) | | | |
|------------------------------|--------------------------------------------|---------------------|--------|
| Route of exposure | Value | Value determination | Source |
| Drinking water | 2.2 µg/l | | |
| Water (intermittent release) | 1.22 µg/l | | |
| Marine water | 0.22 µg/l | | |
| Freshwater sediment | 0.0475 mg/kg of dry substance of sediment | | |
| Sea sediments | 0.00475 mg/kg of dry substance of sediment | | |
| Soil (agricultural) | 0.0082 mg/kg of dry substance of soil | | |

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly. Other protection: protective workwear.

Respiratory protection

It is not needed.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|----------------------------------------------------------|----------------|
| Physical state | liquid |
| Colour | brown |
| Odour | characteristic |
| Melting point/freezing point | 0 °C |
| Boiling point or initial boiling point and boiling range | 100 °C |
| Flammability | non-flammable |
| Lower and upper explosion limit | not applicable |
| Flash point | not applicable |

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 1KP

Creation date 10th February 2020
Revision date 08th January 2024 Version 2.1

Auto-ignition temperature not applicable
Decomposition temperature not applicable
pH 10-11 (undiluted)
Kinematic viscosity not determined
Viscosity thixotropic behaviour
Solubility in water miscible with water
Partition coefficient n-octanol/water (log value) does not apply to mixtures
Vapour pressure 23.4 hPa (water) at 20 °C
Density and/or relative density
Density $\geq 0.66 \text{ g/cm}^3$ at 20 °C
Relative vapour density <1
Particle characteristics applies to solids

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

The mixture is not reactive.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

| octhilinone (ISO) | | | | | | |
|------------------------|------------------|----------|-----------------------|---------------|-------------------------|-----|
| Route of exposure | Parameter | Method | Value | Exposure time | Species | Sex |
| Oral | LD ₅₀ | OECD 401 | 125 mg/kg bw | | Rat (Rattus norvegicus) | |
| Inhalation | LC ₅₀ | OECD 403 | 270 mg/m ³ | 4 hours | | |
| Dermal | LD ₅₀ | OECD 402 | 311 mg/kg bw | | | |
| Inhalation (dust/mist) | ATE | | 0.27 mg/l | | | |
| Dermal | ATE | | 311 mg/kg bw | | | |
| Oral | ATE | | 125 mg/kg bw | | | |

| potassium hydroxide | | | | | | |
|---------------------|------------------|----------|--------------|---------------|-------------------------|-----|
| Route of exposure | Parameter | Method | Value | Exposure time | Species | Sex |
| Oral | LD ₅₀ | OECD 425 | 333 mg/kg bw | | Rat (Rattus norvegicus) | M |

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 1KP

Creation date 10th February 2020
Revision date 08th January 2024 Version 2.1

Skin corrosion/irritation

Based on available data the classification criteria are not met.

| octhilinone (ISO) | | | | |
|-------------------|-----------|----------|---------------|---------|
| Route of exposure | Result | Method | Exposure time | Species |
| Dermal | Corrosive | OECD 404 | | Rabbit |

| potassium hydroxide | | | | |
|---------------------|-----------|----------|---------------|---------|
| Route of exposure | Result | Method | Exposure time | Species |
| Dermal | Corrosive | OECD 404 | | Rabbit |

Serious eye damage/irritation

Based on available data the classification criteria are not met.

| octhilinone (ISO) | | | | |
|-------------------|--------------------|----------|---------------|---------|
| Route of exposure | Result | Method | Exposure time | Species |
| Eye | Serious eye damage | OECD 405 | | Rabbit |

| potassium hydroxide | | | | |
|---------------------|-----------|----------|---------------|---------|
| Route of exposure | Result | Method | Exposure time | Species |
| Eye | Corrosive | OECD 405 | | Rabbit |

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Sensitization

| octhilinone (ISO) | | | | |
|-------------------|-------------|---------------|---------|-----|
| Route of exposure | Result | Exposure time | Species | Sex |
| Dermal | Sensitizing | | | |

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 1KP

Creation date 10th February 2020
Revision date 08th January 2024 Version 2.1

SECTION 12: Ecological information

12.1. Toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

Acute toxicity

| octhilinone (ISO) | | | | |
|-------------------|------------|---------------|-----------------------|-------------|
| Parameter | Value | Exposure time | Species | Environment |
| LC ₅₀ | 0.122 mg/l | 96 hours | Fish | |
| LC ₅₀ | 0.181 mg/l | 48 hours | Aquatic invertebrates | |
| EC ₅₀ | 0.15 mg/l | 96 hours | Algae | |

| potassium hydroxide | | | | |
|---------------------|-------------|---------------|---------|-------------|
| Parameter | Value | Exposure time | Species | Environment |
| LC ₅₀ | 50-165 mg/l | | Fish | |

Chronic toxicity

| octhilinone (ISO) | | | | |
|-------------------|------------|---------------|-----------------------|-------------|
| Parameter | Value | Exposure time | Species | Environment |
| NOEC | 0.022 mg/l | 60 days | Fish | |
| NOEC | 0.035 mg/l | 21 days | Aquatic invertebrates | |
| NOEC | 0.068 mg/l | 96 hours | Algae | |

12.2. Persistence and degradability

The product is not biodegradable to the extent significant for the natural environment.

12.3. Bioaccumulative potential

Bioaccumulation is not expected.

12.4. Mobility in soil

Before drying, the product is dilutable with water. It is immobile in soil, and asphalt is adsorbed on its surface.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Danger of environmental contamination, follow the applicable waste disposal regulations. Store unused product and contaminated packaging in closed containers for waste collection and hand over for disposal to a specialized company authorized to conduct such activity. Do not pour unused product into drains. It must not be disposed of together with municipal waste. Empty packaging can be used for energy in a waste incineration plant or collected in a landfill with an appropriate classification. Perfectly cleaned packaging can be recycled. The classification of waste may change depending on where it is generated.

Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 1KP

| | | | |
|---------------|--------------------|---------|-----|
| Creation date | 10th February 2020 | Version | 2.1 |
| Revision date | 08th January 2024 | | |

SECTION 14: Transport information

- 14.1. UN number or ID number**
not subject to transport regulations
- 14.2. UN proper shipping name**
not relevant
- 14.3. Transport hazard class(es)**
not relevant
- 14.4. Packing group**
not relevant
- 14.5. Environmental hazards**
No.
- 14.6. Special precautions for user**
Reference in the Sections 4 to 8.
- 14.7. Maritime transport in bulk according to IMO instruments**
not relevant

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**
Clean Air Act 1993 as amended. The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Public health act 1961. Environmental Protection Act 1990 as amended. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
- 15.2. Chemical safety assessment**
A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

| | |
|-----------|-------------------------------------------------------|
| H290 | May be corrosive to metals. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H301+H311 | Toxic if swallowed or in contact with skin. |

Guidelines for safe handling used in the safety data sheet

| | |
|------|------------------------------------------------------------------------------------------------------------------------------|
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children. |
| P264 | Wash hands and exposed parts of the body thoroughly after handling. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P501 | Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste. |

A list of additional standard phrases used in the safety data sheet

| | |
|--------|-------------------------------------|
| EUH071 | Corrosive to the respiratory tract. |
|--------|-------------------------------------|

Other important information about human health protection

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 1KP

| | | | |
|---------------|--------------------|---------|-----|
| Creation date | 10th February 2020 | Version | 2.1 |
| Revision date | 08th January 2024 | | |

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

| | |
|---------------------|---------------------------------------------------------------------------------------------------|
| ADR | European agreement concerning the international carriage of dangerous goods by road |
| BCF | Bioconcentration Factor |
| CAS | Chemical Abstracts Service |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures |
| EC | Identification code for each substance listed in EINECS |
| EC ₅₀ | Concentration of a substance when it is affected 50% of the population |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| EmS | Emergency plan |
| EU | European Union |
| EuPCS | European Product Categorisation System |
| IATA | International Air Transport Association |
| IBC | International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods |
| IMO | International Maritime Organization |
| INCI | International Nomenclature of Cosmetic Ingredients |
| ISO | International Organization for Standardization |
| IUPAC | International Union of Pure and Applied Chemistry |
| LC ₅₀ | Lethal concentration of a substance in which it can be expected death of 50% of the population |
| LD ₅₀ | Lethal dose of a substance in which it can be expected death of 50% of the population |
| log K _{ow} | Octanol-water partition coefficient |
| NOEC | No observed effect concentration |
| OEL | Occupational Exposure Limits |
| PBT | Persistent, Bioaccumulative and Toxic |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Agreement on the transport of dangerous goods by rail |
| UN | Four-figure identification number of the substance or article taken from the UN Model Regulations |
| UVCB | Substances of unknown or variable composition, complex reaction products or biological materials |
| VOC | Volatile organic compounds |
| vPvB | Very Persistent and very Bioaccumulative |
| Acute Tox. | Acute toxicity |
| Aquatic Acute | Hazardous to the aquatic environment |
| Aquatic Chronic | Hazardous to the aquatic environment (chronic) |
| Eye Dam. | Serious eye damage |
| Met. Corr. | Corrosive to metals |
| Skin Corr. | Skin corrosion |
| Skin Sens. | Skin sensitization |

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 1KP

| | | | |
|---------------|--------------------|---------|-----|
| Creation date | 10th February 2020 | Version | 2.1 |
| Revision date | 08th January 2024 | | |

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

This safety data sheet replaces version 2.0 dated 08.12.2022.

Updated sections: 1,3,9,13,15.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.