

Safety Data Sheet

Colorex Dimension

Replaces date: 06/12/2021

Revision date: 24/10/2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: Colorex Dimension

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Paint

1.3. Details of the supplier of the safety data sheet

Supplier

Company: Hagmans Nordic AB
Address: Box 112
Zip code: 511 10
City: Fritsla
Country: SWEDEN
E-mail: info@hagmansnordic.com
Phone: +46 (0)320 18900
Homepage: www.colorex.se

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24)).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: Flam. Liq. 3;H226
STOT SE 3;H336

Most serious harmful effects: Flammable liquid and vapour. May cause drowsiness or dizziness.

2.2. Label elements

Pictograms



Signal word: Warning

Contains

Substance: Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics;

Hazard statements

H226 Flammable liquid and vapour.
H336 May cause drowsiness or dizziness.

Supplemental information

EUH066 Repeated exposure may cause skin dryness or cracking.

VOC: This product contains a maximum of 500 g VOC/L. The limit value is 500 g VOC/L (cat. A/i)

Safety Data Sheet

Colorex Dimension

Replaces date: 06/12/2021

Revision date: 24/10/2022

2.3. Other hazards

The product does not contain any PBT or vPvB substances.
Endocrine disrupting properties: None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	919-857-5 01-2119463258-33	20 - 30 %		Flam. Liq. 3;H226 Asp. Tox. 1;H304 STOT SE 3;H336 EUH066
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	918-481-9 01-2119457273-39	10 - 15 %		Asp. Tox. 1;H304 EUH066
Fatty acids, tall-oil, reaction products with 2-[(2-aminoethyl)amino] ethanol	68919-76-6 272-902-4 01-2119979563-23	< 0.5 %		Skin Irrit. 2;H315 Eye Dam. 1;H318 STOT RE 2;H373 (Gastro-intestinal tract.) Aquatic Acute 1;H400 Aquatic Chronic 2;H411 M (acute): 10

Please see section 16 for the full text of H- / EUH-phrases.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: Seek fresh air. Seek medical advice in case of breathing difficulties.

Ingestion: Do not induce vomiting. Seek medical advice immediately.

Skin contact: Remove contaminated clothing. Wash skin with soap and water.

Eye contact: Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes. Open eye wide. Remove any contact lenses. Seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

The product releases organic solvent vapours which may cause lethargy and dizziness. At high concentrations, the vapours may cause headache and intoxication.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Extinguish with powder, foam, carbon dioxide or water mist.

Unsuitable extinguishing media: Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released. Carbon monoxide and carbon dioxide.

Safety Data Sheet

Colorex Dimension

Replaces date: 06/12/2021

Revision date: 24/10/2022

5.3. Advice for firefighters

If there is a risk of exposure to vapour and flue gases, a self-contained breathing apparatus must be worn. Send contaminated extinguishing water for destruction.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Wear suitable protective clothing. In case of insufficient ventilation, wear respiratory protective equipment. Keep unnecessary personnel away. Smoking and naked flames prohibited.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Provide good ventilation. Contain and absorb spill with sand or other absorbent, non-combustible material and transfer to suitable waste containers. Prevent discharges into the sewage system, watercourses or ground.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapours.
Do not eat, drink or smoke during work. Smoking and naked flames prohibited.

7.2. Conditions for safe storage, including any incompatibilities

Store in a dry, cool, well-ventilated area. Keep in tightly closed original packaging. The product should be stored safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc.

7.3. Specific end use(s)

No special uses in addition to identified uses in 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements

8.2. Exposure controls

Appropriate engineering controls: Provide good ventilation.

Personal protective equipment, eye/face protection: Wear safety goggles if there is a risk of eye splash.

Personal protective equipment, hand protection: For prolonged or repeated skin contact use suitable protective gloves.

Personal protective equipment, respiratory protection: In case of insufficient ventilation, wear respiratory protective equipment.

Safety Data Sheet

Colorex Dimension

Replaces date: 06/12/2021

Revision date: 24/10/2022

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter	Value/unit
State	Viscous liquid.
Colour	According to product specification
Odour	Solvent
Solubility	Insoluble in the following: Water.

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	< -20 °C	Solvent.
Freezing point	< -20 °C	Solvent.
Initial boiling point and boiling range	130 - 245 °C	Solvent.
Flammability (solid, gas)		Flammable
Flammability limits	No data	
Explosion limits	0.6 - 7 vol%	Solvent.
Flash Point	40 - 50 °C	
Auto-ignition temperature	No data	
Decomposition temperature:	No data	
pH (solution for use)		Not relevant
pH (concentrate)		Not applicable.
Kinematic viscosity	>20,5 mm ² /s	@ 40°C
Viscosity	No data	
Partition coefficient n-octanol/water	No data	
Vapour pressure	No data	
Density	900 - 1100 kg/m ³	
Relative density	No data	
Relative vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

9.2. Other information

Parameter	Value/unit	Remarks
Explosive properties		Non-explosive
Oxidising properties		Non-oxidising.

SECTION 10: Stability and reactivity

10.1. Reactivity

None known.

10.2. Chemical stability

Stable under recommended storage and handling conditions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Avoid heating and contact with ignition sources.

Safety Data Sheet

Colorex Dimension

Replaces date: 06/12/2021

Revision date: 24/10/2022

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral:	Based on existing data, the classification criteria are deemed not to have been met.
Acute toxicity - dermal:	Based on existing data, the classification criteria are deemed not to have been met.
Acute toxicity - inhalation:	Based on existing data, the classification criteria are deemed not to have been met.
Skin corrosion/irritation:	Based on existing data, the classification criteria are deemed not to have been met. Degreasers and dries the skin. Repeated exposure may cause skin dryness or cracking.
Serious eye damage/eye irritation:	Based on existing data, the classification criteria are deemed not to have been met. May cause eye irritation.
Respiratory sensitisation or skin sensitisation:	Based on existing data, the classification criteria are deemed not to have been met.
Germ cell mutagenicity:	Based on existing data, the classification criteria are deemed not to have been met.
Carcinogenic properties:	Based on existing data, the classification criteria are deemed not to have been met.
Reproductive toxicity:	Based on existing data, the classification criteria are deemed not to have been met.
Single STOT exposure:	Based on existing data, the classification criteria are deemed not to have been met.
Repeated STOT exposure:	Based on existing data, the classification criteria are deemed not to have been met.
Aspiration hazard:	Based on existing data, the classification criteria are deemed not to have been met.

11.2. Information on other hazards

Endocrine disrupting properties:	Constituents have no endocrine-disrupting properties with respect to non-target organisms as they do not meet the criteria in Section B of Regulation (EU) 2017/2100.
---	---

SECTION 12: Ecological information

12.1. Toxicity

Based on existing data, the classification criteria are deemed not to have been met.

12.2. Persistence and degradability

Test data are not available.

12.3. Bioaccumulative potential

Test data are not available.

12.4. Mobility in soil

Test data are not available.

Safety Data Sheet

Colorex Dimension

Replaces date: 06/12/2021

Revision date: 24/10/2022

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

Constituents have no endocrine-disrupting properties with respect to non-target organisms as they do not meet the criteria in Section B of Regulation (EU) 2017/2100.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid unnecessary release to the environment. If this product as supplied becomes a waste, it meets the criteria of a hazardous waste (Dir. 2008/98/EU). Collect spills and waste in closed, leak-proof containers for disposal at the local hazardous waste site.

Category of waste: EWC code: Depends on line of business and use, for instance
08 01 11* waste paint and varnish containing organic solvents or other hazardous substances
15 01 10* packaging containing residues of or contaminated by hazardous substances
15 01 04 metallic packaging

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	1263	14.4. Packing group:	III
14.2. UN proper shipping name:	PAINT	14.5. Environmental hazards:	The product should not be labelled as an environmental hazard (symbol: fish and tree).
14.3. Transport hazard class(es):	3		
Hazard label(s):	3		
Hazard identification number:	30	Tunnel restriction code:	D/E

Inland water ways transport (ADN)

14.1. UN number or ID number:	1263	14.4. Packing group:	III
14.2. UN proper shipping name:	PAINT	14.5. Environmental hazards:	The product should not be labelled as an environmental hazard (symbol: fish and tree).
14.3. Transport hazard class(es):	3		
Hazard label(s):	3		
Transport in tank vessels:			

Sea transport (IMDG)

14.1. UN number or ID number:	1263	14.4. Packing group:	III
14.2. UN proper shipping name:	PAINT	14.5. Environmental hazards:	The product is not a Marine Pollutant (MP).
14.3. Transport hazard class(es):	3	Environmental Hazardous Substance Name(s):	
Hazard label(s):	3		
EmS:	F-E, S-E	IMDG Code segregation group:	- None -

Safety Data Sheet

Colorex Dimension

Replaces date: 06/12/2021

Revision date: 24/10/2022

Air transport (ICAO-TI / IATA-DGR)

14.1. UN number or ID number:	1263	14.4. Packing group:	III
14.2. UN proper shipping name:	PAINT	14.5. Environmental hazards:	The product should not be labelled as an environmental hazard (symbol: fish and tree).
14.3. Transport hazard class(es):	3		
Hazard label(s):	3		

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Other Information: Packaging < 450 liters transported according to 2.2.3.1.5 in ADR and to 2.3.2.5 in IMDG

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

SECTION 16: Other information

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with Regulation 1907/2006/EC "The Registration, Evaluation and Authorization of Chemicals" as amended by the stationary UK REACH etc. (EU Exit) as subsequently changed.

Vendor notes: Changes have been made in sections: 2, 11, 12, 16.

Hazard statements

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure. (Gastro-intestinal tract.)
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

Country: GB